

Technical Rider

This document (along with accompanying Input List, Output List, and Stage Plot) is to serve as the technical specifications for The Downtown Band. If there are any questions about these specifications, please contact Justin Caldwell at justin@thedowntownband.com or 615-481-5924.

The Downtown Band is a 10 member band:

- 1. Lead Singer / Acoustic / Percussion
- 2. Female Lead Singer 1
- 3. Female Lead Singer 2
- 4. Guitar Player / BGV (also runs Click)
- 5. Bass Player / BGV

- 6. Keys Player (2 keyboards) / BGV
- 7. Drummer / BGV (with drum pad)
- 8. Trombone Player
- 9. Trumpet Player
- 10. Sax Player

BACKLINE:

<u>The band will provide</u>: bass guitar, electric guitar, all horns, Wired In-Ear Monitor boards for Drums and Keys, Talkback Footswitch, Electronic Drum Pad, Various Percussion

PRODUCTION REQUIREMENTS:

<u>Production will provide</u>: speakers, subs, and speaker amps, FOH and Monitor boards (can be the same board if appropriate), wired and wireless microphones, microphone stands, Dl's, at least 5 music stands, all requested floor wedges and wireless IEM setups, all necessary cabling and power drops. All as specified in the accompanying documentation.

BACKLINE:

Production will also provide backline elements (see below)

Production will provide a flat, level, dry stage w/stairs of the following dimensions: 28'W x 24'D (minimum 24' x 16' or 28' x 20').

Production will also provide a competent and knowledgable sound engineer to setup, sound check, and run sound during the event, as well as any assistants they deem necessary.

If production cannot provide any of the above listed or has any questions, please feel free to reach out so that other arrangements can be made.



Backline Requests

Please fulfill to the best of your ability and availability. If you have any questions or need to check to see if certain brands or pieces of gear will work, please reach out to Justin.

STANDS:

- (5) Music Stands w/ lights
- (3) Single Guitar Stands
- (1) Cymbal Stand Heavy duty (please NO single brace this is for electronic drum pad)
- (1) On Stage Stands KS7365-EJ Folding Z Stand w/ Second Tier

SEATS:

(2) Drum Thrones

CABLES:

(24) 15-20FT 1/4in cables

POWER:

4 Power Strips on stage

INSTRUMENTS:

- (1) Gibson J45 Cutaway acoustic guitar
- (1) Nord Stage 2 HA88 (w/ power cable)
- (1) Nord Electro 5 HP (w/ power cable)

GUITAR AMPS:

(1) Fender '65 (reissue) Twin Reverb Amplifier

BASS AMP:

- (1) Aguilar TH500 amp
- (1) Aguilar DB410 cab

DRUMS:

Yamaha Phoenix Series 6 piece (or equivalent)

20x18 kick drum

10x8 rack tom

12x9 rack tom

14x14 floor tom

16x16 floor tom

14x6.5 Craviatto Diamond Cast Solid Shell Snare drum 14x8 DW snare

ALL REMO COATED HEADS

CYMBALS:

15" Istanbul traditional dark hats

18" Istanbul traditional dark crash

16" Istanbul traditional dark crash

20" Istanbul traditional dark crash

22" zildjian k hybrid ride

8" zildjian k splash

16" zildjian k custom efx

DRUM HARDWARE:

All DW 9000 hardware

- (1) kick pedal
- (1) hh stand
- (6) boom cymbal stand
- (2) snare drum stands

Input List

Artist The Downtown Band **Band Size** 10 Piece

| Ch. | Description | Mic/DI | Stand | Position | Notes |
|-----|-----------------------|---------------------|-----------------|-----------|--------------------------|
| 1 | Kick | BETA 52A (or equiv) | Short (or none) | USC | |
| 2 | Snare | SM57 (or equiv) | Drum Clip | USC | |
| 3 | Tom 1 | SM57 (or equiv) | Drum Clip | USC | |
| 4 | Tom 2 | SM57 (or equiv) | Drum Clip | USC | |
| 5 | Tom 3 | SM57 (or equiv) | Drum Clip | USC | |
| 6 | OH (mono or stereo) | Pencil Condenser | Tall Boom | USC | |
| 7 | Percussion | Pencil Condenser | Tall Boom | MSC | |
| 8 | Electronic Drum Pad | DI | - | USC | |
| 9 | Bass | DI | - | USR | |
| 10 | Top Keys (mono) | DI | - | USR | |
| 11 | Bottom Keys (stereo) | DI (stereo) | - | USR | |
| 12 | Acoustic Guitar | DI | - | MSC | |
| 13 | Electric Guitar | e609 | Short (or hang) | USL | |
| 14 | Trombone | Wireless, Clip-On | - | USL | |
| 15 | Trumpet | Wireless, Clip-On | - | USL | |
| 16 | Sax | Wireless, Clip-On | - | USL | |
| 17 | Keys Vocal | Wired Vocal Mic | Boom | USR | |
| 18 | Bass Vocal | Wired Vocal Mic | Boom | DSR | |
| 19 | Drum Vocal | Wired Vocal Mic | Boom | USC | |
| 20 | Guitar Vocal | Wired Vocal Mic | Boom | DSL | XLR Line DSL for pedal |
| 21 | Lead/Center Vocal | Wireless Vocal Mic | Boom | DSC | |
| 22 | Female Lead 1 | Wireless Vocal Mic | Straight | DSR | |
| 23 | Female Lead 2 | Wireless Vocal Mic | Straight | DSL | |
| 24 | Guitar Talkback Vocal | XLR Line | - | DSL | XLR Line (see StagePlot) |
| 25 | Click | DI | - | DSL | For IEM |
| 26 | Ambient / Room Mic | Pencil | Boom | DS | For IEM |
| 27 | | | | | |
| 28 | | | | | |
| 29 | | | | | |
| 30 | | | | | |
| 31 | iPod L | DI | - | Off-Stage | At Board or Mon Board |
| 32 | iPod R | DI | - | Off-Stage | At Board or Mon Board |

Notes

Positions - US = Upstage, MS = Midstage, DS = Downstage Mic Stands = 8 Boom Stands, 2 Straight Stands, 2 short stands DI = 7 , WIRELESS = 3 Vocal, 3 Clip-On Horn

Monitor List

Artist The Downtown Band Band Size 10 Piece

| Mix | Description | Туре | Position |
|-----|------------------------|--------------------|----------|
| 1 | Lead / Center Vocal | IEM (stereo) | DSC |
| 2 | Female Lead 1 | IEM (stereo) | DSR |
| 3 | Female Lead 2 | IEM (mono) | DSL |
| 4 | Guitar In-Ear | IEM (stereo) | DSL |
| 5 | Bass In-Ear | IEM (mono) | DSR |
| 6 | Keys In-Ear | Stereo XLR - Wired | USR |
| 7 | Drum In-Ear | Stereo XLR - Wired | USC |
| 8 | Front Stage Mix (C) | Wedge | DSC |
| 9 | Front Stage Mix (FL 1) | Wedge | DSR |
| 10 | Front Stage Mix (FL 2) | Wedge | DSL |
| 11 | Horn Wedge Mix | Wedge | USL |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |

Notes

Front Mixes will be a general mix with emphasis on the particular singer, in case of In-Ear Malfunction

