

Technical Rider

This document (along with accompanying Input List, Output List, and Stage Plot) is to serve as the technical specifications for The Downtown Band. If there are any questions about these specifications, please contact Justin Caldwell at justin@thedowntownband.com or 615-481-5924.

The Downtown Band is a 9 member band:

- 1. Lead Singer / Acoustic Guitar
- 2. Female Lead Singer 1
- 3. Female Lead Singer 1
- 4. Fiddle Player / BGV
- 5. Elec. Guitar Player / BGV (also runs Click)
- 6. Bass Player / BGV
- 7. Keys Player (2 keyboards) / BGV
- 8. Drummer / BGV (with drum pad)
- 9. Acoustic Guitar / Banjo / Mandolin / BGV

BACKLINE:

<u>The band will provide</u>: Bass Guitar and Effects, Electric Guitar and Effects, Fiddle, Fiddle Pre-Amp, Talkback Footswitch, Various Percussion

PRODUCTION REQUIREMENTS:

Production will provide:

- FOH and Monitor consoles (can be the same, if appropriate)
- Speakers, subs, and amps
- · All wired and wireless microphones and DIs as specified
- Microphone stands
 - 2 short boom
 - 9 standard boom (2 for drum overheads, 1 for instrument hangers)
 - 2 straight stands with round bases
- 9 wireless IEM setups
- All necessary cabling and power drops. All as specified in the accompanying documentation.

BACKLINE:

Production will also provide backline elements (see below)

Production will provide a flat, level, dry stage w/stairs of the following dimensions: 28'W x 24'D (minimum 24' x 16' or 28' x 20').

Production will also provide a competent and knowledgeable sound engineer to setup, sound check, and run sound during the event, as well as any assistants they deem necessary.

If production cannot provide any of the above listed or has any questions, please feel free to reach out so that other arrangements can be made.



Backline Requests

Please fulfill to the best of your ability and availability. If you have any questions or need to check to see if certain brands or pieces of gear will work, please reach out to Justin.

SOUND:

(5) High-end wireless transmitters/receivers and necessary cabling for 1 fiddle, 2 acoustic guitars, 1 banjo and 1 mandolin

STANDS:

- (3) Single Guitar Stands
- (1) On Stage Stands KS7365-EJ Folding Z Stand w/ Second Tier
- (1) Tripod mic stand (for instrument hangers)

SEATS:

(2) Drum Thrones

CABLES:

(24) 15-20FT 1/4in cables

POWER:

(4) Power Strips on stage

INSTRUMENTS:

- (2) Gibson J45 Cutaway acoustic guitar with pickup
- (1) Gibson F-style Mandolin with pickup
- (1) Gibson 5-string Banjo with pickup and resonator (not open back)
- (1) Nord Stage 2 HA88 (w/ power cable)
- (1) Nord Electro 5 HP (w/ power cable)
- (2) Yamaha FC7 Expression Pedals
- (2) Yamaha FC4 Sustain Pedals

GUITAR AMP:

(1) Fender '65 (reissue) Twin Reverb Amplifier

BASS AMP:

- (1) Aguilar TH500 amp
- (1) Aguilar DB410 cab

C&C is not available)

22" Kick

16" Floor Tom

13" Rack Tom

6.5" x 14" Brass Snare

ALL REMO COATED HEADS

CYMBALS:

Zildjian K Custom Dark or similar

14" Hi-Hats

18" Crash

19" Crash

22" Ride

DRUM HARDWARE:

All DW 9000 hardware if available

- (1) Kick Pedal
- (1) Hi-Hat Stand
- (1) Snare Drum Stands
- (3) Boom Cymbal Stands

Tom Mounting Hardware

Drum Rug

INSTRUMENTS THE BAND IS BRINGING VIA PLANE:

- * Electric Guitar
- * Electric Guitar Pedalboard
- * Bass Guitar
- * Bass Guitar Pedalboard
- * Fiddle
- * Fiddle Pre-Amp
- * Percussion (Various)

<u>DRUMS:</u>

Input List

Artist The Downtown Band Band Size 9 Piece Country

Ch.	Description	Mic/DI	Stand	Position	Notes
1	Kick	BETA 52A (or equiv)	Short (or none)	USC	
2	Snare	SM57 (or equiv)	Drum Clip	USC	
3	Tom 1	SM57 (or equiv)	Drum Clip	USC	
4	Tom 2	SM57 (or equiv)	Drum Clip	USC	
5	OH L	Pencil Condenser	Tall Boom	USC	
6	OH R	Pencil Condenser	Tall Boom	USC	
7	-	-	-	-	
8	-	-	-	-	
9	Bass	DI	-	USR	
10	Electric Guitar	e609	Short	USL	
11	Acoustic Guitar 1	DI	-	MSC	
12	Acoustic Guitar 2	DI	-	USL	
13	Top Keys (mono)	DI	-	USR	
14	Bottom Keys L	DI (stereo)	-	USR	
15	Bottom Keys R	DI (stereo)	-	USR	
16	-	-	-	-	
17	Lead Male Vocal	Wireless Vocal Mic	Boom	DSR	
18	Female Lead Vocal 1	Wireless Vocal Mic	Straight	DSL	
19	Female Lead Vocal 2	Wireless Vocal Mic	Straight	DSL	
20	E. Guitar Vocal	Wired Vocal Mic	Boom	USL	3 XLR Line DSL for pedal Gtr vox mic > Footswitch > OUT1 Gtr Vox > OUT 2 Talkback
21	Bass Vocal	Wired Vocal Mic	Boom	USR	
22	Keys Vocal	Wired Vocal Mic	Boom	USR	
23	Aux Vocal	Wired Vocal Mic	Boom	DSL	
24	Fiddle Vocal	Wired Vocal Mic	Boom	DSR	
25	Guitar Talkback Vocal	XLR Line	-	USL	XLR Line (see stageplot)
26	Mandolin	DI	-	DSL	, ,
27	Banjo	DI	-	DSL	
28	Fiddle	DI	-	DSR	
29	Click	DI	-	USL	For IEM Only
30	-	-	-	-	,
31	-	-	-	-	
32	-	-	-	-	

Monitor List

Artist The Downtown Band Band Size 9 Piece Country

Mix	Description	Туре	Position
1	Lead Male Vocal L	IEM (stereo)	DSR
2	Lead Male Vocal R	IEM (stereo)	DSR
3	Female Lead 1 L	IEM (stereo)	DSL
4	Female Lead 1 R	IEM (stereo)	DSL
5	Female Lead 2 L	IEM (stereo)	DSL
6	Female Lead 2 R	IEM (stereo)	DSL
7	Guitar In-Ear L	IEM (stereo)	DSL
8	Guitar In-Ear R	IEM (stereo)	DSL
9	Bass In-Ear L	IEM (stereo)	USR
10	Bass In-Ear R	IEM (stereo)	USR
11	Drum In-Ear L	IEM (stereo)	USC
12	Drum In-Ear R	IEM (stereo)	USC
13	Keys In-Ear L	IEM (stereo)	USR
14	Keys In-Ear R	IEM (stereo)	USR
15	Fiddle In-Ear L	IEM (stereo)	DSR
16	Fiddle In-Ear R	IEM (stereo)	DSR
17	Aux In-Ear L	IEM (stereo)	DSL
18	Aux In-Ear R	IEM (stereo)	DSL

